

Farmers' attitudes to disease risk management in England: a comparative analysis of sheep and pig farmers

Article

Accepted Version

Garforth, C. J., Bailey, A. P. and Tranter, R. B. (2013) Farmers' attitudes to disease risk management in England: a comparative analysis of sheep and pig farmers. *Preventive Veterinary Medicine*, 110 (3-4). pp. 456-466. ISSN 0167-5877 doi: <https://doi.org/10.1016/j.prevetmed.2013.02.018> Available at <https://centaur.reading.ac.uk/31113/>

It is advisable to refer to the publisher's version if you intend to cite from the work. See [Guidance on citing](#).

To link to this article DOI: <http://dx.doi.org/10.1016/j.prevetmed.2013.02.018>

Publisher: Elsevier

All outputs in CentAUR are protected by Intellectual Property Rights law, including copyright law. Copyright and IPR is retained by the creators or other copyright holders. Terms and conditions for use of this material are defined in the [End User Agreement](#).

www.reading.ac.uk/centaur

CentAUR

Central Archive at the University of Reading

Reading's research outputs online

**Farmers' attitudes to disease risk management in England: a comparative analysis of
sheep and pig farmers**

C. J. Garforth, A. P. Bailey and R. B. Tranter

School of Agriculture, Policy and Development, University of Reading, PO Box 237,
Reading RG6 6AR, UK

Corresponding author:

C J Garforth

Tel: +44 118 378 8134

Fax: +44 (0) 118 935 2421

email: c.j.garforth@reading.ac.uk

Address for proofs:

Prof C J Garforth, SAPD, Room 2L38, Agriculture Building, PO Box 237, Reading RG6
6AR, UK

Abstract (302 words)

The UK Department for Environment, Food and Rural Affairs (Defra) identified practices to reduce the risk of animal disease outbreaks. We report on the response of sheep and pig farmers in England to promotion of these practices. A conceptual framework was established from research on factors influencing adoption of animal health practices, linking knowledge, attitudes, social influences and perceived constraints to the implementation of specific practices. Qualitative data were collected from nine sheep and six pig enterprises in 2011. Thematic analysis explored attitudes and responses to the proposed practices, and factors influencing the likelihood of implementation. Most feel they are doing all they can reasonably do to minimise disease risk and that practices not being implemented are either not relevant or ineffective. There is little awareness and concern about risk from unseen threats. Pig farmers place more emphasis than sheep farmers on controlling wildlife, staff and visitor management and staff training. The main factors that influence livestock farmers' decision on whether or not to implement a specific disease risk measure are: attitudes to, and perceptions of, disease risk; attitudes towards the specific measure and its efficacy; characteristics of the enterprise which they perceive as making a measure impractical; previous experience of a disease or of the measure; and the credibility of information and advice. Great importance is placed on access to authoritative information with most seeing vets as the prime source to interpret generic advice from national bodies in the local context. Uptake of disease risk measures could be increased by: improved risk communication through the farming press and vets to encourage farmers to recognise hidden threats; dissemination of credible early warning information to sharpen farmers' assessment of risk; and targeted information through training events, farming press, vets and other advisers, and farmer groups, tailored to the different categories of livestock farmer.

50 Keywords: animal disease risk; adoption; biosecurity; communication; policy; veterinarians;
51 biosecurity; prevention.

1. Introduction

England's climate lends itself to the production of grass (4.8 m hectares) and crops (4 m hectares), primarily winter cereals, supporting 5.4 m cattle, 14.3 m sheep and 3.6 m pigs (Defra, 2011). Sheep production is the most extensive system using both the less productive uplands and also lowland grass for finishing lambs in a stratified system involving regular movement of sheep and lambs between farms (Fogerty, et al., 2012; Harvey and Scott, 2012). Pig production is more intensive, although comprising both indoor and outdoor systems, with either combined breeding and finishing units or separate enterprises (Lewis and Grayshon, 2012) again requiring movement across businesses.

Animal disease outbreaks have recently made headlines and the threat of disease is diverse and changing (POST, 2011). Some diseases are endemic, others characterised by specific outbreaks with new diseases arriving from expanding trade and climate change. The impact ranges from a small set-back in production to a devastating infection leading to widespread culling and every disease contracted affects farmers' returns.

To reduce the risk of animal disease, and its impact and cost, the UK Department for Environment, Food and Rural Affairs (Defra) identified key factors contributing to disease risks on farms and the mitigation measures needed (Table 2). Understanding whether farmers could be encouraged to adopt such measures is not comprehensive (Collier, et. al., 2010). Previous work in Europe identified that size of enterprise influences the adoption of biosecurity measures. Small and/or hobby farms generally lack appropriate biosecurity measures whereas commercial and larger businesses tend to have higher biosecurity measures associated with higher awareness and recognition of risk (Ribbens, et al., 2008; Nöremark, et al., 2009 & 2010; Valeeva, et al., 2011). Enterprise type is also an influence, with higher

levels of biosecurity in pig enterprises (Boklund, et al., 2004) and less in sheep enterprises (Nöremark, et al., 2010).

However, farmer characteristics, including motivations and attitudes, also affect decision making on farms. There is evidence that farmers give more weight to biosecurity than animal health programmes (Valeeva, et al., 2011). Yet research in Denmark (Kristensen & Jakobsen, 2011) suggests that even legislation on biosecurity plans does not always lead to uptake if benefits are not perceived. Farmers are strongly influenced by practice and implement what is familiar (Casal, et al., 2007). This is partly down to lack of awareness (Racicot, et al., 2012) but also confusion from inconsistent and contradictory information (Moore, et al., 2008). Furthermore, lack of understanding limits effectiveness of implementation (Racicot, et al., 2011 & 2012). Cost is also an influence (Fraser, et al., 2010) with farmers needing evidence of effectiveness before implementation (Gunn, et al., 2008). There is also a feeling that both responsibility for biosecurity and cost should be shared and the way forward involves Government and industry including farmers and vets. There is also a need to build trust amongst stakeholders (Benjamin, et al., 2010; Gunn, et al., 2008; Hernández-Jover, et al., 2011).

The study reported here examined factors encouraging and discouraging adoption of measures to mitigate disease risk, in order to determine policy levers and engagement strategies most likely to lead to risk reducing behaviours, overcome embedded resistance and encourage farmers to adopt these measures. We focus on sheep and pig enterprises, diverse sectors where the former are perceived as less concerned about biosecurity (Hovi, et al., 2005) whilst the latter are perceived as extremely biosecurity conscious.

What follows outlines study method, results relating to understanding disease risk, Defra's mitigation measures, farm assurance, health plans and who should bear responsibility for disease control, before concluding what influences intentions and behaviours including awareness, knowledge, experience and attitudes, and implications of the findings for policy.

2. Method

The research involved face to face interviews with a sample of farmers running livestock enterprises. Most recent research in this area has used quantitative methods of data collection (mainly postal questionnaires) and analysis including summary descriptive statistics (Benjamin, et al., 2010), factor analysis (Boklund, et al., 2004), logistic regression (Ellis-Iversen, et al., 2010), Theory of Reasoned Action (Garforth, et al., 2006), Theory of Planned Behaviour (Jan, et al., 2012) and rating scales (Jansen, et al., 2010). We used the ability of qualitative methods to provide complementary insights to an understanding of human behaviour, using as their raw data the words in which participants in semi-structured, in-depth, face-to-face interviews articulate their knowledge, perceptions and feelings.

Interviews took place between February and April 2011 in three areas of England (south west, central southern, and Welsh Borders) providing good coverage of enterprise types, scales and systems. The focus was on farmers who were likely to be non-compliant with some of the disease risk reducing practices of interest to Defra. The study covered cattle and poultry (not reported here) as well as pigs and sheep (Garforth, et al., 2011). Interviewee selection was based on a commercial telephone database and local knowledge through veterinary practices, to achieve an agreed quota of participants (see Table 1) in each sector.

[TABLE 1 about here]

Interviews were semi-structured. Where farmers operated more than one site, the interview focused on the site where the interview was conducted. Farmers were asked about interventions for reducing disease risk from: new diseases being brought onto farm by introduction of infected animals; disease being brought onto farm by visitors; new disease being brought onto farm from neighbouring farms; spread/multiplication of disease on the farm; introduction of new diseases onto farm by other animals; diseases propagating or going undetected; and disease spreading from their farm to other farms.

[TABLE 2 about here]

Each was specified in the interview schedules in terms of practices relevant to the enterprises (Table 2). Data gathered were largely qualitative, although information on the business and the area that might affect attitudes to disease risk mitigation was also obtained. Nine sheep farmers were interviewed and six pig farmers; interviews lasted 45-75 minutes, were audio-recorded and transcribed.

To help analysis, a framework was developed from literature on the influences on farmers' decisions regarding animal health and husbandry (Figure 1). This identified factors expected to affect the intention to carry out actions to reduce, or manage, disease risk. Drawing on studies that have applied the Theory of Reasoned Action (TRA), Theory of Planned Behaviour (TpB) (Ajzen, 1985) and the Health Belief Model (HBM) (Rosenstock, 1964) in the field of animal health and farmer decision making (e.g. Garforth, 2011; Ellis-Iversen et al., 2010; Jansen, et al., 2009; Garforth, et al., 2006), we expected farmers' behaviour in respect of disease risk management would be influenced by: their *knowledge* of specific practices; their *attitudes* to specific practices (including their assessment of benefits, costs

and risk) and to disease risk management in general; their view on the *efficacy* of practices in reducing disease risk (which, in TpB terms, are reflected in ‘outcome beliefs’ and attitudes) and of disease risk management; their *previous experience*, and that heard from others, of specific practices; their *perception of their ability* to put specific practices into effect, and their perception of *factors that constrain* their ability to put specific practices into effect (which, in TpB terms, relates to ‘Perceived Behavioural Control’; and in HBM, to ‘self-efficacy’) which may include *current habitual behaviour*; their perception of what *other farmers in similar situations are doing* with respect to disease risk management; and their perception of what *other people important to them would think* about their doing or not doing specific practices (‘subjective norms’ in TpB). The framework was used to code transcripts, as we looked for phrases reflecting the above factors .

[FIGURE 1 about here]

Emerging themes from the analysis were presented to a workshop of 22 people representing a range of stakeholders (including Defra, the British Veterinary Association (BVA) and the National Farmers Union (NFU)). The outcomes of the workshop, reported elsewhere (Garforth et al., 2011), broadly validated the findings and helped inform the discussion, below, of the policy implications of the study.

3. Results

Overview

The interviewees felt that they are doing all that makes sense towards disease risk reduction. Few felt they should be doing more and all had what seemed to them sound reasons for not complying with practices they had not implemented. This is brought out in the analysis below of current behaviour in relation to intervention practices for reducing disease risk listed in

179 Table 2. All quotations are verbatim extracts from the transcripts; reference numbers by each
180 quotation indicate the interviewee (see Table 1).

181

182 All sheep farmers felt they had a good understanding of disease risk control while only three
183 of the six pig enterprises said they had a good understanding (Table 3). This understanding
184 comes from experience rather than any specific training. A typical response from a larger pig
185 enterprise was: ‘I’ve been working with them for years’. [KA030]

186

187 **Farm Assurance Schemes and Flock/Herd Health Plans**

188 Just over half the enterprises belonged to Farm Assurance Schemes with the larger
189 enterprises more likely to be members. The prevailing view among scheme members is that
190 the only reason for joining is to gain market access. Those not needing a market channel
191 requiring Farm Assurance do not join, perhaps because they have a strong reputation in a
192 niche or local market: ‘We felt our name spoke for itself. We want to sell our produce as
193 [*farm name*] additive free pork and not from anyone else’ (KA020). Others cite cost, lack of
194 financial return and hassle of paperwork and inspections as reasons for not joining. No
195 scheme members mentioned enhanced biosecurity or disease control as a benefit – it was just
196 something they had to do to sell their produce.

197

198 One of the smaller pig producers summed up reasons for scepticism about Farm Assurance
199 voiced in varying degrees by the other non-members:

200 I can’t see what scheme would help me. We are a small producer and the cost
201 of joining is prohibitive. And there are many schemes that have been
202 discredited. I’m not sure of the Little Red Tractor. And Freedom Food. We do
203 our own thing and say that you can come and see what we do at any time. We

204 participate in 'Open Farm Sunday' and have open days so I don't think I need
205 to join anything or be accredited. ... The schemes are quite unclear. You can
206 put a stamp on a piece of meat but what does it mean. I don't know if the
207 average consumer understands what you are selling. [KA027]

208

209 Five of the sheep enterprises had flock or farm health plans because it is a requirement of the
210 assurance scheme they belong to; for all but one, the plan was drawn up by or with the help
211 of their vet. One of them said they look at it; the others suggested it was for the benefit of the
212 vet or scheme inspectors:

213 *[Do you have a health plan?]* Yes, but don't ask me where it is. *[Do you*
214 *review it?]* Sitting around chatting about it over lunch, we're always reviewing
215 things and we constantly change. We don't write it down, we just do it. We
216 have one somewhere because we're supposed to have one. [KA016]

217 Those without a plan either didn't know what it is, or felt it wasn't necessary ('because we
218 know every sheep' [PA006]), or that it was associated with assurance schemes:

219 *[Do you have a health plan?]* No; because I'm not farm assured so I don't
220 know whether I'm meant to have one or not [KA026]

221

222 With pig farmers there is a clear divide between the three largest enterprises, who have a
223 health plan, and the others who do not. These plans are there, not to comply with assurance as
224 in the sheep enterprises, but because the farmers' recognition of the importance of having a
225 systematic, agreed way of addressing health issues:

226 It is just what we do. If we see some pens aren't doing well we call the vet and
227 he'll say put a bit of this in the water. If we find a mortality we don't worry

but if we find more than one it is investigated. The plan is drawn up by the vet and reviewed over the phone. It is not part of the scheme. [KA030]

Practices to reduce disease risk

Responses to questions relating to the practices listed in Table 2 are summarised in Table 3.

[TABLE 3 about here]

The interviews provide rich data on what farmers are, and are not, doing, and their reasons. As Table 3 shows, much of the ‘non-compliance’ is explained by farmers’ seeing practices as irrelevant to them, or impractical, or not necessary. Some apparent ‘compliance’ is not because of concerns over animal disease risk but for other reasons. For one sheep enterprise, for example, sourcing from well-known suppliers was for convenience rather than disease risk reduction. Several interviewees said, of hygiene on farm, that keeping things clean is normal good husbandry and not something they do specifically to reduce disease risk. Some distinguished between what they try to do and the compromises they have to make from time to time. With the pig enterprises, there was a distinct pattern relating to size of operation: larger, more intensive enterprises are more likely to comply than smaller ones.

Responses on using optimal disease control tools such as vaccines recommended by a vet gave interesting insights into farmers’ use of veterinary advice. Although they generally regard vets as credible sources of information and guidance, they do not automatically follow their advice. With vaccination, most seemed to take a calculated risk. A prevailing attitude among the sheep farmers, with respect to bluetongue, was that there would be time after hearing bluetongue is around to vaccinate and so the cost of routine preventive vaccination is

not justified. Some were also concerned about the stress to sheep of vaccination. One also mentioned a widespread view that as most sheep farmers are vaccinating the risk is reduced, making it less important for them to vaccinate.

With some practices, the extent of compliance varies. All but one of the pig farmers, for example, take action to keep rodents away from their pigs ranging from having cats to using rodenticides. None felt it feasible to keep large mammals, such as deer and foxes, away.

Responsibility for advice and disease control

The overwhelming view on disease control advice is that advice from their vet is more credible than that from other sources: vets' knowledge is locally contextualised, they are there for immediate one-to-one advice, and they work in the farmer's interest. Nevertheless, some recognised that Defra has a role in providing advice.

Of the nine sheep enterprises, five said Government should bear the cost of controlling both endemics and exotics with four saying farmers should pay for endemics as part of normal costs of running a good business. As for advice, vets are seen as more credible than Defra but one interviewee suggested that if farmers have to pay for advice, many will not seek it and so Defra should continue the practice of disseminating advice. One sheep farmer pointed out that providers of advice have their agendas so the farmer has to assess the relevance of advice for them:

Vets are quite good at giving advice but you always have this feeling that they will try and sell you something more than you need or more expensive. So anything a vet tells you, you need to take with a pinch of salt. Obviously respect what they say because they are experts. [PA06]

278

279 Another echoed the link between cost and responsibility, in respect of paying for advice:

280 I wouldn't mind paying but I would want a say in how it was going to be spent

281 because Defra have no idea, it's like all Government bodies, they've got no

282 idea on how money is spent other than they go on and spend it willy nilly.

283 [KA26]

284

285 When it comes to exotics, all said Government should be responsible. Several referenced the

286 strategic nature of their industry, in terms of food security, in justifying this insistence on

287 Government paying for advice and control measures in respect of exotics.

288

289 Pig enterprises had differing views on organisations who are potential sources of advice and

290 information. Some saw a role for Defra to act as a universal source of advice with others

291 seeing Defra becoming marginalised because producers can turn to several sources for their

292 information needs. One larger enterprise with one of the younger respondents (40-49 years),

293 felt the industry has advice on endemics covered but that Defra has a role in relation to

294 notifiable diseases:

295 If you look at important organisations to the pig industry, you have BPEX

296 [British Pig Executive], the NPA [National Pig Association], the trade

297 association with a powerful voice, Pig World magazine, the Pig Veterinary

298 Society and individual vets. Defra has a role there but, in terms of endemic

299 disease, pretty small. If you have a notifiable disease, you deal with Defra

300 because they set the rules and how you deal with it. [KA29]

301

302 Another larger enterprise (run by an interviewee of 60-69 years) felt Defra should have a role
303 in advice but that it is out of touch:

304 Defra aren't in touch with the industry. The NFU have a livestock committee
305 but they are not really in touch. It is pig farmers who are very much in touch
306 with the whole system and we network with them. I suppose Defra should give
307 the advice as they have overall control. [KA30]

308

309 Others highlighted the role of vets in advice, another larger enterprise suggesting:

310 I think vets in the main are on the ground with the expertise and experience
311 and local knowledge. I think the Ministry should have a big input into that ...
312 we work closely with one of their vets ... and I will pick the phone up and talk
313 to him quite regularly. [KA28]

314

315 The two smaller enterprises felt that Defra should be the body responsible for both advice and
316 disease control, one volunteering:

317 I think Defra, during foot and mouth, were very good. I looked on the website
318 every day to see what was going on. They would be the people I would turn to
319 for policy advice, the NFU as well. [KA27]

320

321 **4. Discussion and conclusions**

322 Figure 1 shows factors from recent research on farmer decision making on animal health
323 matters, thought likely to affect intention and behaviour for disease risk management.

324 Discussion will be structured around these, with several themes emerging.

325

326 **Knowledge and awareness of practices**

327 Livestock farmers feel they understand risk control measures well. However, the fact that
328 someone knows about a measure and understands what it is designed to do does not make it
329 more likely that they will implement it. Indeed, comments on the measures suggest that
330 assessment of efficacy and practicability are much more important. Knowledge and
331 awareness is obviously a necessary, but far from sufficient, condition for implementation.
332 Views on the credibility of the science underpinning the recommendation of measures were
333 mixed. Most thought the science was sound, though some questioned how science was
334 translated into recommended measures for farmers.

335

336 **Attitudes to disease risk**

337 Interviewees recognise that disease risks can be managed by good husbandry and reduced
338 through implementing measures that are practical for each individual. However, disease
339 cannot be avoided entirely. This is not seen as fatalistic but as realistic: one can take
340 precautions to reduce risks, but the nature of livestock keeping is that disease will occur now
341 and again. Furthermore, some risks cannot be controlled by farmers as the lack of effective
342 control of risks by people off farm, including lorry drivers and people using public footpaths
343 across farms, can undermine their efforts. Attitudes to risk are informed by previous
344 experience, as in the comment in Table 3 on scab being transferred among sheep on
345 moorland. The interviews show that farmers' compliance with recommended practices is
346 strongly influenced by attitudes to disease risk. Those who feel a particular risk is serious and
347 manageable are more likely to try to reduce it if they feel that the costs are justified.

348

349 Many farmers also associate risk with the current local disease status. If, for example, a
350 neighbour is known to have a transmittable disease, they are likely to take additional
351 precautions. The fact that the disease may have been present but undetected in the
352 neighbour's stock for months does not necessarily translate into readiness to prevent such
353 unseen threats from entering the herd or flock. There is a similar attitude to vaccination as
354 several said they had stopped vaccinating against some diseases because the risk was low but
355 they would consider starting again if the disease increased in the area.

356

357 Similar views came from a question on what they would do in the event of an exotic disease
358 outbreak: several said they would deploy measures widely promoted during previous
359 outbreaks, including disinfectants, restricting movements of people onto and off the farm, and
360 spraying vehicles. Several referred to luck – 'keeping fingers crossed' and 'touching wood' –
361 and the sense of doing what one normally does, only more intensively.

362

363 Many of the biosecurity measures viewed as unnecessary are aimed at reducing the risk of
364 this 'silent spread' of disease. To be effective, they must be done routinely even when it
365 appears there is no threat, for example isolating bought-in animals and separating species.
366 This suggests there is a difference in risk perception between farmers and Defra and the
367 veterinary profession. This has two implications: it highlights the important responsibility of
368 vets (both public and private), and of farmers, to ensure surveillance functions well so that
369 threats become visible as early as possible; and it suggests an area where education and
370 communication are needed to enable farmers to recognise the 'unseen' risk of disease. Within
371 these responses, there is a mixture of farmers accepting a slightly higher level of risk than
372 perhaps Defra would like, and farmers balancing risk against the inconvenience and expense
373 of more extreme measures.

374

375 **Attitudes to disease risk management practices**

376 Attitudes to disease risk measures seem strongly linked to attitudes to disease risk itself.

377 Many interviewees base their decisions on implementing specific practices on their personal
378 assessment of trade-offs between risk, efficacy and cost. Typical was this sheep farmer's
379 explanation of his decision not to vaccinate against bluetongue:

380 Vaccines are a good thing, I couldn't manage without them but the less you
381 jab animals is good. You have to weigh up whether it's worth doing or you
382 take a risk and probably this year, I'm going to take the risk and not do it. If I
383 was further east, I might do it a bit more. [KA26]

384

385 Another common theme was questioning the efficacy of practices, not because of the
386 underlying science or theory but because they cannot be implemented or because other
387 factors intervene. Scepticism was expressed by one of the larger pig enterprises in respect of
388 action to reduce the risk of salmonella:

389 When people talk about salmonella control it's a farce. ... let's not be naïve
390 enough to think that because we have got a salmonella control programme it is
391 going to make any difference because it doesn't. [KA28]

392

393 The practices most commonly applied were those regarded as common sense or part of good
394 husbandry. They included vaccination, being selective over sources of new animals, keeping
395 new animals separate from existing stock on arrival, and cleaning buildings between batches.
396 These practices were adopted where returns seemed to justify it. However, other practices
397 did not make sense for individuals. Double fencing, for example, was rejected by most
398 including this sheep farmer with a smaller flock:

399 Double fencing? No, if I've got one fence that works I think I'm doing well.

400 Avoid grazing on fields next to neighbours? No, I don't think that is practical

401 for us ... Double fencing, a load of rubbish. [KA13]

402

403 **Perceived farm constraints and ability to implement measures**

404 Many interviewees referred to a feature of their enterprise when explaining why they had

405 decided it was unnecessary or impractical to adopt one or more of the proposed measures.

406 Features making a measure unnecessary include geographical isolation and the protection

407 from neighbouring stock afforded by boundary roads and watercourses; those making a

408 measure impractical include the construction or layout of buildings, lack of space, and

409 fragmentation of the holding into parcels.

410

411 Some saw trade-offs between tighter disease risk management and values important to them,

412 particularly welfare, as seen in the earlier comment about bluetongue vaccination. One pig

413 farmer felt they could not do any more to prevent disease transmission from wildlife without

414 compromising their commitment to running an open system:

415 Without boarding up, I don't know what I could do. We have a big thing about

416 health and welfare. We would like to run them outdoors but you can't here

417 because we are on clay. In the winter it's under water. What we do is make it

418 as easy as possible. If we start boarding up, it would cause problems and

419 compromise welfare. [KA20]

420

421 Apart from these farm level constraints, two themes emerged regarding their ability to

422 implement measures: ease of implementation and cost. For the former, specific practices that

423 make sense are not implemented because they are time-consuming and, for the latter, it is
424 perceived they are not justified by the cost.

425

426 **Previous experience**

427 Livestock farmers' disease risk behaviour is strongly influenced by experience of practices
428 that have worked or not, of farm diseases, of working with animals and of the organisations
429 they deal with.

430

431 If a practice does not work, or seems to makes things worse, farmers are quick to change,
432 even if the change is one that others might regard as idiosyncratic. As one of the larger pig
433 enterprises said about cleaning housing between batches:

434 We found out quickly that the worst thing to do was pressure wash and
435 disinfect between batches because we found they built up immunity. Now, we
436 clean out and have foot dips but we don't pressure wash. [KA20]

437

438 Farmers' experience of organisations can work either for or against compliance and relates to
439 credibility. This is clearly seen in comments on Defra's role in providing information on
440 disease. Some regard Defra as having done a reasonable job on information and advice, for
441 example during Foot and Mouth outbreaks, and see it as a credible and useful source. Others,
442 with less positive experience of Defra , are more likely to regard their advice as unhelpful or
443 less relevant than that from other sources. This was expressed by colourful anecdotes
444 including one from an Oxfordshire sheep farmer:

445 If you ring Defra, you might just as well ring Thames Water. There's never
446 anybody there that knows anything about it and by the time they find

somebody we could be two months on before you hear anything back. So, I've not got a great deal of faith in Defra. [KA26]

Inertia and habit

There was frequent reference to farmers having found a pattern of disease risk management practices that works, but no strong indication that they are keeping to a pattern because of inertia. Indeed, most referred to occasions, often recent, where they had changed. Inertia or continuing habitual behaviour does not seem a strong driver of the use or non-use of specific measures. Farmers are willing to be convinced to use measures they currently do not, but need supporting advice from credible sources such as a vet whose opinion they trust.

Exposure to sources of information

Most interviewees do not go out of their way to search for new information. Those that do, keep up to date through the farming press, or through vets. No interviewees mentioned farm assurance schemes as sources of advice. One farmer with a smaller sheep enterprise mentioned using the Internet for information.

A consistent theme was using the vet to check advice from other sources, whether local, in the mass media and Internet, or from national organisations. Some vets are proactive in this field. One farmer with a smaller sheep enterprise, when asked about sources, replied:

Local vet practice. I phone them first. We go to regular health-based meetings with them. We pick up interesting points. [KA13A]

Those more exposed to sources of information are in a better position to choose a particular measure. But the influence of that exposure is always mediated by farmers' assessment of relevance, an assessment often made after referring to the vet for information and opinion.

Social influences

Literature on farmer uptake of new technology often identifies 'other farmers' as a major source of new ideas. Here, other and neighbouring farmers hardly figure. In fact, a strong theme from the interviews was that what others are doing and saying has little influence on what the interviewees do for disease risk management. They rely on their experience and ideas of what is sensible. The exception is the few less experienced interviewees who mentioned specific other people in the sector who they regard either as role models or with superior knowledge to them. Smaller enterprises were also more likely to discuss disease measures with others, whether smaller or larger enterprises. One farmer with 80 ewes put this in the context of needing reliable advice when something goes wrong:

I find the vet not the easiest person to contact when we need him. For example, this week we had a sick sheep and we phoned and he didn't even answer. That's no good. [KA14]

Even among these smaller enterprises, the ones who had been keeping animals for a long time were also not particularly interactive with others. There was also little sense of interviewees being influenced by how they think others would view their carrying out or not of disease risk measures (the 'subjective norm' of the TpB). Several referred to carrying out measures because they represent good practice but these seemed related more to personal values than to a need to conform with others' views.

495 **Attitudes to sources of advice**

496 Although the credibility of sources was not identified in the framework, it comes through as a
497 strong theme in the interviews. Vets are seen as the most credible and reliable source on
498 disease and disease risk management, providing more farmer-focused advice than
499 government. The following comment represents their views:

500 If Defra say something you take it quite seriously but you might not take it so
501 seriously if you think they're trying to tell you [to do] something you're
502 already doing. If the NFU told you or maybe an assurance scheme or you read
503 it in the Farmers Weekly, you'd be much more willing to take up that strategy.

504 [PA06]

505

506

507 Overall then, the study farmers accept that action taken on farm can reduce the risk of
508 endemic disease breaking out among their animals. Most also feel they are doing all they can
509 to minimise such risks. The measures most commonly implemented are vaccination, policies
510 for sourcing new stock, and separation of new from existing stock. The measures least
511 commonly implemented are staff and visitor management policies, and staff training. Some
512 measures are widely regarded as common sense, such as good hygiene and having a sensible
513 system for manure disposal, rather than as disease risk measures. Pig enterprises put more
514 emphasis than sheep enterprises on controlling wildlife access, and on staff and visitor
515 management. Members of farm assurance schemes are more likely to have health plans but,
516 for most, this is seen as a scheme requirement rather than a useful disease risk measure.

517

518 Interviewees see themselves as already making rational decisions, based on circumstances, on
519 what to implement, irrespective of what others are doing. There is great confidence in their

520 knowledge built up over years. In contrast, less experienced farmers, those with higher levels
521 of agricultural education and those managing large units, are more likely to be proactive in
522 looking for up-to-date information on livestock disease. This suggests some complacency in
523 the self-reported levels of knowledge and understanding.

524

525 Farmers clearly place great importance on being able to access authoritative information
526 relevant to them, which most see as available from vets – principally their local vet but also a
527 local ‘Defra vet’ (a vet with the former State Veterinary Service, now the Animal Health and
528 Veterinary Laboratories Agency) whose opinion they respect. Information that is general and
529 appears as released to all is more likely to be ignored at best and, at worst, to reinforce
530 attitudes that advice from central sources is not relevant or practical to the individual.
531 Farmers look to vets to interpret and contextualise information and advice received.

532

533 Many farmers also obtain information on disease risk and management from the farming
534 press; they see this as up-to-date and relevant. Scientific findings related to animal disease are
535 generally trusted but not always seen as practical with some wanting more relevant and
536 practical guidance.

537

538 The reliance of most interviewees on vets for risk assessment and advice on control measures
539 for diseases is based on trust, credibility and previous experience. Relevant here is the current
540 trend in England towards concentration of farm vets into fewer, larger practices, which
541 enables practices to have specialists for different systems capable of giving the sort of
542 targeted information and advice that farmers value and the scale to be able to devise and offer
543 training courses to develop skills and confidence among farmers to make better informed
544 decisions.

545

546 Most farmers accept they should pay part of the costs of disease risk advice for endemics and
547 that they should bear the cost of measures they voluntarily implement to address risk factors.
548 With exotics, however, and notifiable diseases in particular, they feel Government has a
549 strategic responsibility to protect agriculture from external disease threats and should,
550 therefore, coordinate the provision of advice and information, and pay for disease controls.
551 Furthermore, with no say in the design of measures to protect against exotics or tackle any
552 outbreak, they feel they should not contribute towards costs.

553

554 The specific attitudes and behaviours reported here are formed by the policy, economic,
555 institutional and disease history context in which sheep and pig farmers in England operate.
556 Further research in other industrialised economies is needed before their validity in other
557 settings could be assessed. However, as these findings are consistent with prevailing socio-
558 psychological analytical frameworks, similar themes may well emerge elsewhere.

559

560 **Policy implications**

561 There is no current specific plan or policy linking the measures promoted by Defra to
562 compensation or to insurance premiums. However, under the rubric of ‘Responsibility and
563 Cost Sharing’, Defra is consulting on how future costs of addressing disease outbreaks should
564 be shared between industry and government and has established the Animal Health and
565 Welfare Board for England to advise on this (<http://www.defra.gov.uk/ahwbe/> 18/12/2012). It
566 is, therefore, relevant to consider the implications of the study findings for future policy.
567 While it is hard to identify ‘quick fix’ policy levers to encourage farmers to implement more
568 disease risk measures, possible ways forward centre on information and communication.

569

(1) Risk communication Where farmers are not implementing measures that others suggest are beneficial in reducing disease risk, this indicates a gap in their understanding of the level of risk their animals are exposed to. This suggests one way to encourage farmers to consider applying more measures, or applying measures more stringently, revolves around risk communication. This should be tailored to situations faced by different enterprises and involve local vets, who are widely regarded by livestock farmers as the main players in interpreting and filtering information from national bodies. The farming press should also be used to enhance risk communication to farmers.

(2) Disease surveillance Farmers' assessment of disease risk and their implementation of risk reducing measures are influenced by recent incidence. This reinforces the importance of effective surveillance to provide early warning about disease threats. Livestock farmers need to be aware of both local and national situations. An important message is that of incubation time in relation to animal movement and isolation of incoming stock. Dissemination of credible early warning information through the farming press and vets will help sharpen farmers' assessment of risk and have an effect on the implementation of disease risk measures. Credibility is vital: the science on which recommended measures are based must be credible and clearly articulated, and the measures must be seen as realistic (i.e. cost-effective, have a significant impact on the risk they are designed to address and not subverted by factors outside the farmer's control).

(3) Targeted information and advice Perhaps the main message emerging is that information and advice livestock farmers receive needs to be relevant to their situation to be taken seriously. Differences between large operations with many paid employees and small-scale, part-time enterprises run by family labour and interacting with relatively local input and

output markets, should be reflected in the information that is put out on disease risk measures. The relevance of measures varies with species and production system, as does the affordability of measures because of different levels of profitability and future prospects. Defra could, perhaps, do more to fine tune their advice so that it is informed by an awareness of the different situations in which farm animals are kept.

Events run by vets are generally seen as offering practical advice and an opportunity to gain new knowledge, particularly in relation to disease threats. Subsidised training events would be one way of providing more bespoke information and advice to specific categories of livestock farmers. Farmer groups are another opportunity for exchanging ideas and accessing advice. Consultancy companies providing benchmarking services, which often cover animal welfare and health and financial aspects, are a third group. In summary, the key is communication which is up-to-date in terms of risk threat, targeted and delivered through trusted sources for both advice provision and training.

Acknowledgements

This paper results from project FFG1013/RC0101 ‘Increasing the uptake of improved animal disease risk measures by animal keepers: attitudes, behaviours and practical lessons for responsibility and cost-sharing’. We are grateful to Defra for funding and to the participating farmers. Interviews were carried by Keith Allison, who sadly passed away in January 2012, and Dr Patricia Aikman.

References

Ajzen, I., 1985. From intentions to actions: A theory of planned behavior. In J. Kuhl & J. Beckman (Eds.), Action-control: From cognition to behavior. Springer, Heidelberg, 11-39.

620

621 Benjamin, L.A., Fosgate, G.T., Ward, M.P., Roussel, A.J., Feagin, R.A., Schwartz, A.L.,
622 2010. Attitudes towards biosecurity practices relevant to Johne's disease control on beef cattle
623 farms. *Prev. Vet. Med.* 94, 222-30.

624

625 Boklund, A., Alban, L., Mortensen, S., Houe, H., 2004. Biosecurity in 116 Danish fattening
626 swineherds: descriptive results and factor analysis. *Prev. Vet. Med.* 66, 49-62.

627

628 Casal, J., De Manuel, A., Mateu, E., Martín, M., 2007. Biosecurity measures on swine farms
629 in Spain: perceptions by farmers and their relationship to current on-farm measures. *Prev.*
630 *Vet. Med.* 82, 138-50.

631

632 Collier, A., Cotterill, A., Everett, T., Muckle, R., Pike, T., Vanstone, A., 2010. Understanding
633 and influencing behaviours: a review of social research, economics and policy making in
634 Defra. Department for Environment, Food and Rural Affairs, London.

635

636 Defra, 2008. Understanding behaviours in a farming context: bringing theoretical and applied
637 evidence together across Defra and highlighting policy relevance and implications for future
638 research. Defra Agricultural Change and Environment Observatory Discussion Paper.

639

640 Defra, 2011. Crop areas, livestock populations and agricultural workforce 2011 England –
641 final results [online]. Available from: [http://www.defra.gov.uk/statistics/files/defra-stats-](http://www.defra.gov.uk/statistics/files/defra-stats-foodfarm-landuselivestock-june-statsrelease-englandcropslivestocklabour-111024.pdf)
642 [foodfarm-landuselivestock-june-statsrelease-englandcropslivestocklabour-111024.pdf](http://www.defra.gov.uk/statistics/files/defra-stats-foodfarm-landuselivestock-june-statsrelease-englandcropslivestocklabour-111024.pdf).

643 Accessed 20 August 2012

644

Ellis-Iversen, J., Cook, A., Watson, E., Nielen, M, Larkin, L., Wooldridge, M, Hogeveen, H.,
2010. Circumstances and motivators that influence implementation of zoonotic control
programs on cattle farms. *Prev. Vet. Med.* 93, 276 - 285.

Fogerty, M., Soffe, R., Robbins, K., 2012. Farm Business Survey 2012/11: Lowland grazing
livestock production in England. Duchy College Rural Business School, Cornwall.

Fraser, R.W., Williams, N.T., Powell, L.F., Cook, A.J. 2010. Reducing *Campylobacter* and
Salmonella infection: two studies of the economic cost and attitude to adoption of on-farm
biosecurity measures. *Zoonoses Public Health*. 57, 109-15.

Garforth, C., McKemey, K., Rehman, T., Tranter, R.B., Cooke, R., Park, J., Dorward, P.,
Yates, C.M., 2006. Farmers' attitudes towards techniques for improving oestrus detection in
dairy herds in South West England. *Livestock Science* 103, 158 - 168.

Garforth, C., 2011. Effective communication to improve udder health: can social science
help? In: Hogeveen, H. and Lam, T.J.G.M. (eds.) *Udder Health and Communication*.
Wageningen Academic Publishers, Wageningen, The Netherlands, pp. 55-66.

Garforth, C., Bailey, A., Tranter, R., Aikman, P., Allison, K., Taylor, N., Wilshire, T.
2011. Increasing the uptake of improved animal disease risk measures by animal keepers:
attitudes, behaviours and practical lessons for responsibility and cost-sharing. Research
report to Defra. Project FFG1013. University of Reading, 62pp.

669 Gunn, G.J., Heffernan, C., Hall, M., McLeod, A., Hovi, M., 2008. Measuring and comparing
670 constraints to improved biosecurity amongst GB farmers, veterinarians and the auxiliary
671 industries. *Prev. Vet. Med.* 84, 310-23.
672

673 Harvey, D., Scott, C., 2012. Farm Business Survey 2012/11: Hill farming in England. Rural
674 Business Research, Newcastle University.
675

676 Hernández-Jover, M., Gilmour, J., Schembri, N., Sysak, T., Holyoake, P.K., Beilin,
677 R., Toribio, J.A., 2012. Use of stakeholder analysis to inform risk communication and
678 extension strategies for improved biosecurity amongst small-scale pig producers. *Prev. Vet.*
679 *Med.* 104, 258-70.
680

681 Hovi, M., McLeod, A., Gunn, G., 2005. Assessing UK farmer attitudes to biosecurity on
682 sheep and cattle farms. *Research in Veterinary Science* 78, Suppl. A. 22 pages.
683

684 Jan, J., McIntosh, W.A., Dean, W., Scott, H.M., 2012. Predictors of differences in the
685 perception of antimicrobial resistance risk in the treatment of sick, at-risk, and high-risk
686 feedlot cattle. *Prev. Vet. Med.* 106, 24-33.
687

688 Jansen, J., van Schaik, G., Renes, R., Lam, T., 2010. The effect of a national mastitis control
689 program on the attitudes, knowledge, and behavior of farmers in the Netherlands. *Journal of*
690 *Dairy Science* 93, 5737 - 5747.
691

692 Jansen, J., van den Borne, B., Renes, R., van Schaik, G., Lam, T., Leeuwis, C., 2009.
 693 Explaining mastitis incidence in Dutch dairy farming: The influence of farmers' attitudes and
 694 behaviour. *Prev. Vet. Med.* 92, 210-223.
 695
 696 Kristensen, E., Jakobsen, E.B., 2011. Danish dairy farmers' perception of biosecurity. *Prev.*
 697 *Vet. Med.* 99, 122-9.
 698
 699 Lewis, M., and Grayshon, J., 2012. Farm Business Survey 2010/2011: Pig Production in
 700 England. Rural Business Research, Askham Bryan College, York.
 701
 702 Moore, D.A., Merryman, M.L., Hartman, M.L., Klingborg, D.J., 2008. Comparison of
 703 published recommendations regarding biosecurity practices for various production animal
 704 species and classes. *J. Am. Vet. Med. Assoc.* 233, 249-56.
 705
 706 Nöremark, M., Lindberg, A., Vågsholm, I., Sternberg Lewerin, S. 2009. Disease awareness,
 707 information retrieval and change in biosecurity routines among pig farmers in association
 708 with the first PRRS outbreak in Sweden. *Prev. Vet. Med.* 90, 1-9.
 709
 710 Nöremark, M., Frössling, J., Lewerin, S.S., 2010. Application of routines that contribute to
 711 on-farm biosecurity as reported by Swedish livestock farmers. *Transbound Emerg Dis.* 57,
 712 225-36.
 713
 714 POST, 2011. Livestock Disease. POSTNOTE 392. Parliamentary Office of Science and
 715 Technology, London.
 716

717 Racicot, M., Venne, D., Durivage, A., Vaillancourt, J.P., 2011. Description of 44
 718 biosecurity errors while entering and exiting poultry barns based on video surveillance in
 719 Quebec, Canada. *Prev. Vet. Med.* 100, 193-9.
 720
 721 Racicot, M., Venne, D., Durivage, A., Vaillancourt, J.P., 2012. Evaluation of the relationship
 722 between personality traits, experience, education and biosecurity compliance on poultry
 723 farms in Québec, Canada. *Prev. Vet. Med.* 103, 201-7.
 724
 725 Ribbens, S., Dewulf, J., Koenen, F., Mintiens, K., De Sadeleer, L., de Kruif, A., Maes, D.,
 726 2008. A survey on biosecurity and management practices in Belgian pig herds. *Prev. Vet.*
 727 *Med.* 83, 228-41.
 728
 729 Rosenstock, I., 1974. Historical Origins of the Health Belief Model. *Health Education*
 730 *Monographs* 2 (4), 328-335
 731
 732 Valeeva, N.I., van Asseldonk, M.A., Backus, G.B., 2011. Perceived risk and strategy efficacy
 733 as motivators of risk management strategy adoption to prevent animal diseases in pig
 734 farming. *Prev. Vet. Med.* 102, 284-95.
 735

Tables

Table 1. Pig and sheep farmers interviewed by size, age and county

| Reference | Enterprise | Size | Category | Age of interviewee | County |
|-----------|------------|-----------------|----------|--------------------|--------------|
| PA006 | Sheep | 25 ewes | smaller | 50-59 | Somerset |
| KA009 | Sheep | 1600 sheep | larger | no response | Berkshire |
| KA009A | Sheep | 600 ewes | larger | 60-69 | Warwickshire |
| KA013A | Sheep | 30 ewes | smaller | 30-39 | Oxfordshire |
| KA013 | Sheep | 100 ewes | smaller | 60-69 | Hampshire |
| KA014 | Sheep | 80 ewes | smaller | 20-29 | Wiltshire |
| KA016 | Sheep | 300 ewes | larger | 50-59 | Shropshire |
| KA023 | Sheep | 52 sheep | smaller | 50-59 | Devon |
| KA026 | Sheep | 150 ewes | smaller | 50-59 | Oxfordshire |
| KA011 | Pigs | 30 finishers | smaller | 50-59 | Oxfordshire |
| KA020 | Pigs | 120 pigs | larger | 60-69 | Oxfordshire |
| KA027 | Pigs | 10 sows | smaller | 50-59 | Hampshire |
| KA028 | Pigs | 300,000/year | larger | 40-49 | Norfolk |
| KA029 | Pigs | 500,000/year | larger | 40-49 | Norfolk |
| KA030 | Pigs | 3,500 finishers | larger | 60-69 | Hampshire |

742 Table 2. Disease risk intervention practices included in interview schedules

| Practice | Enterprise |
|--|---|
| Practices to avoid new diseases being brought onto the farm by introduction of infected animals: | |
| <ul style="list-style-type: none"> • <i>Livestock isolation units for animals brought onto the farm:</i> <ul style="list-style-type: none"> ◦ keep newly acquired animals separate for a period before they join established groups in the flock/herd | Both |
| <ul style="list-style-type: none"> • <i>Strict replacement sourcing policies:</i> <ul style="list-style-type: none"> ◦ when you buy animals from a new flock, always ask about the disease status of that flock ◦ knowing the disease status of the herds where you buy pigs from ◦ trusting the owner to tell you about new diseases in his/her herd | Sheep Pigs Pigs |
| <ul style="list-style-type: none"> • <i>Number of legal and tested movements onto farm ranked by risk of source:</i> <ul style="list-style-type: none"> ◦ buying sheep from a few well known suppliers, versus buying them from different places such as markets, auctions, etc. ◦ buying pigs from a few well known suppliers | Sheep Pigs |
| <ul style="list-style-type: none"> • <i>Reduce contact with wildlife in fields and in livestock sheds:</i> <ul style="list-style-type: none"> ◦ taking specific action to keep wildlife out e.g. raised troughs, special fencing ◦ practice regular rodent control | Sheep Pigs |
| Practices to avoid disease being brought onto farm by visitors: | |
| <ul style="list-style-type: none"> • <i>Staff and visitor management policies</i> <ul style="list-style-type: none"> ◦ taking action (e.g. putting-up signs) to prevent visitors touching animals without your knowledge ◦ providing staff/visitors with designated clothing before entering your pig unit | Sheep Pigs |
| Practices to avoid new disease being brought onto farm from neighbouring farms: | |
| <ul style="list-style-type: none"> ◦ avoiding grazing on common land ◦ minimise contact between livestock on neighbouring farm premises (outside units only) | Sheep Pigs |
| Practices to avoid spread/multiplication of disease on the farm: | |
| <ul style="list-style-type: none"> • <i>Slurry and manure management, treatment and disposal</i> • <i>Hygiene on farm</i> <ul style="list-style-type: none"> ◦ taking specific action to keep your animals clean ◦ neonatal disease control: hygiene in lambing areas/separation/cleansing/disinfection/afterbirth disposal/rearing lambs separately ◦ always clean and disinfect barns between batches • <i>Using optimal disease control tools including treatments and vaccine as recommended by a vet</i> <ul style="list-style-type: none"> ◦ vaccinating against bluetongue ◦ check and act on ZNCP scores | Both Sheep Sheep Pigs Sheep Pigs |
| Practices to avoid spread/multiplication of disease on the farm, <u>and</u> introduction of new diseases onto farm by other animals: | |
| <ul style="list-style-type: none"> • <i>Reduce disease risks of multi-species farming</i> <ul style="list-style-type: none"> ◦ have tools and clothing only used for the sheep/pig unit and not for other enterprises | Both |
| Practices on farm to avoid diseases propagating or going undetected: | |
| <ul style="list-style-type: none"> • <i>Farmer/keeper training in disease management</i> <ul style="list-style-type: none"> ◦ offer external training to your staff | Both |

743

744

745 **Table 3 Compliance with recommended practices to reduce animal disease risk on farm**

| Practice | Sector | Comply (number) | Not comply (number) | Sample comments |
|-----------------------------------|--------|-------------------------------------|--|---|
| Isolate new stock | Sheep | 7 | 2 (impractical, not necessary) | ‘In ideal circumstances we would try to isolate them from the rest but obviously sometimes that’s not practical if you haven’t got much grass’ [PA06] |
| | Pigs | 4 | 2 (irrelevant) | ‘We breed our own; we are pretty closed [but when we buy in] we always separate new stock’ [KA27] |
| Sourcing policy | Sheep | 7 | 2 (impractical, not necessary) | Impractical ‘because they come from markets in North England’ [KA09] We are nowhere near as vigilant as we are with cattle. Sheep aren’t a big problem disease-wise’ [KA023] |
| | Pigs | 3 | 3 (irrelevant, not necessary) | ‘we only deal with people we have dealt with before’ [KA27] ‘The pigs don’t belong to us, they are on contract ... they come to us to be grown on’ [KA30] |
| Reduce contact with wildlife | Sheep | 0 | 9 (impractical, not important) | ‘No you can’t. Unless you shoot all the wildlife you can’t do anything about it’ [KA26] |
| | Pigs | 5 (rodent control only) | 1 (impractical) | ‘It’s very difficult to properly fence in an outdoor unit to keep out wildlife ... I don’t think it is a huge risk other than if the wild boar population exploded, then obviously there would be more pig diseases’ [KA29] |
| Staff / visitor management policy | Sheep | 4 (try to comply) | 5 (irrelevant) | ‘as much as we can .. when they’re out in the field and people pass through the field there’s not much you can do about it’ [KA09] ‘we are very isolated here’ [KA23] |
| | Pigs | 3 | 3 (not necessary) | ‘We don’t have visitors or customers. That is what we have always done’ [KA20] |
| Avoid common grazing | Sheep: | 2 | 3 (not relevant) 4 (can’t avoid using it) | ‘The times when we have had scab in the past, they always caught it on the moor from other sheep ... if there’s a problem there you are going to pick it up’ [KA23] |
| | Pigs: | 1 (double fence) 1 (unspecified) | 2 (not relevant) 2 (not practical) | ‘not relevant; my neighbour’s sheep are fenced in’ [KA27] ‘if you run outdoor pig systems, straw based systems, like we do, in open and naturally ventilated buildings, can someone tell me how I can prevent salmonella entering?’ [KA28] |
| Slurry/manure management | Sheep | 1 | 8 (not necessary) | ‘There’s limited scope; we clean out the sheds once a year and then spread on the ground’ [PA06] |
| | Pigs | 1 | 5 (not necessary) | ‘Scrape it off when we move the huts then clamp and compost it for a year before spreading’ [KA30] ‘if there is something like dysentery we would be really careful’ [KA29] |
| Hygiene on farm | Sheep: | 9 (to some extent) | 0 | ‘I don’t wear gloves to lamb because I find I just haven’t got enough feel’ [KA16] |
| | Pigs: | 4 | 2 | ‘All the growing units are washed out between batches’ [KA29] |

| Practice | Sector | Comply (number) | Not comply (number) | Sample comments |
|--------------------------------------|--------|--------------------|------------------------|---|
| Optimal disease control | Sheep: | 1 | 8 | ‘If we did see that the problem [bluetongue] came back, naturally we would soon vaccinate for it’ [PA06]. ‘Not only does it [not vaccinating] save money it also saves stress on the sheep’ [KA026] |
| | Pigs: | 3 | 3 | ‘I’m on the phone to [the vets] every day. We liaise on a daily basis and they come here once a week’ [KA28] |
| Reduce risk of multi-species farming | Sheep: | 0 | 9 | ‘It is part of our internal rules to keep good separation of species. We look at that with the vet’ |
| | Pigs: | 2 | 4 (not relevant) | |
| Staff training | Sheep: | 1 | 8 | ‘I’d say our that our knowledge was sufficient to keep disease risk to a minimum’ [PA06] |
| | Pigs: | 3 | 3 | ‘We have done, but our pig man has been with us 25 years’ [KA30] ‘It’s not really relevant; we are self-taught and we help each other [KA27] |

746 Source: Interviews 2011

747

749 **Figure caption**

750 Figure 1 Analytical framework linking factors that influence farmers' disease risk
751 management behaviour

752